Contest Online Score Board



Content:

1. Before set up your logger,	2
-------------------------------	---

2. Win-Test,	3
3. N1MM Logger+,	8
4. WriteLog,	
5. DXlog.net,	12
6. TR4W,	13
7. UCXlog (from v. 7.76),	14
8. QARtest,	15
9. N3FJP,	16

11. Assistance,	17
12. Donations,	
13. Testimonials,	19

1. Before set up your logger

Before configuring your logger to post contest score online you have to register your profile on the Contest Online Score Board site by visiting the following link:

https://contestonlinescore.com/profile/

You can add another callsign you might have to your main account. The score could be uploaded by the main or by additional callsign by using the same password.

2. Win-Test

*** Contributed by Alex, K2BB

- Download a special posting utility: <u>https://contestonlinescore.com/settings/WinTestOnlineScore.zip</u>
- Unpack the zipped archive
- Launch Win-test logger application
- Start the WinTestOnlineScore.exe utility
- Configure WinTestOnline Score Windows like on this picture:

Win-Test Online	Score			
contestonlinescore Login VA2W Password	. <u>.com</u> settings A			*
connection setting:Local IP127.0.Use Any Local IP /Port9871	s for Win-Test 0.1 Address 🔽			-
contest settings Band	ALL 🔻	Operators	VA2WA	
station settings Country CQ Zone ITU Zone State / Province ARRL Section	VE 5 4 QC QC	Club	Contest Group du Quebec	Save Settings

- Open Win-test program. When you create a new contest. Please Check up "Enable time distribution across the network":

WT - IARU-HF-MIXED_2017_STN1@VA2WA.wt4 [STN1] File Edit Operating Commands Messages Tools Windows Options Help
D 🖆 🗂 🕹 🛧 🗃 ඟ 🏷 🖸 📥 🔍 🗐 🍪 🗒 🖓 👮 🖄 😰 🗽 🚳 🖬 🔞
Contest configuration
Station
Callsign: VA2WA Grid Square: FN36QA Exchange (zone,): 4
DXCC Prefix: VE WAZ zone: 5 ITU zone: 4 State/Province/Other: QC
Name:
Address:
Address:
Address:
E-mail: Club: Contest group du quebec
Load
Station 1 Station 2 Station 3 Station 4 Station 5
Save as
Station 1 Station 2 Station 3 Station 4 Station 5
Contest: IARU HF World Championship Days Days This month only
Category: Single operator Mode: MIXED
0verlay: Tribander/Single Element Band plan: Default Setup
Class: High power Power:
Operators:
Station: STN1 I Enable time distribution across the network
Cancel

... or be sure it's checked up with the current contest.

- In Win-Test application window find out "Options" on the top level menu. Then choose "Configure Interfaces..". Checkup " Enable Ethernet network":

🔄 wt -	- IARU-	HF-MIXE	D_201	L7_STN1@	VA2WA.	vt4 [STI	N1]											
File E	dit C	perating	Co	mmands	Messag	es To	ols Wi	ndows	Optio	ns H	lelp	 			1			
	j 🖸	↓ û	-	•	. 🔽 📥	2	□ 0	🗞 🖻	2	<u>}</u>	·× 🔇		6) (2	SPLIT				
Chec	k parti	al result									? ×		Ra	te			A 11	
	Int	erfaces c	onfig	uration	[Alt+H fo	r help]												
		- Serial p	orts 11 F	Radio 1		Ţ	9600 8-1	N-1		Cor	nfigure	Prir	nter port: LPT	s	Conf	igure		
		🗌 СОМ	12 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure	-Cw PT	/ T ON d	elav (m:	sj.	5	0	í
		COM	13 F	Radio 1		Ŧ	9600 8-1	N-1		Cor	nfigure	Eth	iernet		-,-		- 1	0 (15 r
		COM	14 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure		Enable Broadca	Ethern ist addr	et net ess:	work		n
		COM	15 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure		192.168	3.0.255		By def	ault	
		COM	16 F	Radio 1		Ŧ	9600 8-1	N-1		Cor	nfigure		Port nun 9871	nber:		By def	ault	: Q!
		COM	17 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure	Ne	twork pr	otocol				
	4	COM	18 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure		A	dvance	d setti	ings		
		COM	19 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure	Voi	ce keye Enable	r sound	card			es:
		COM	110 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure		Speak	ers (2-1	High [Definition	A 🔻	
		COM	111 F	Radio 1		-	9600 8-1	N-1		Cor	nfigure		What what	te the m en the D	nicroph DVK is	hone inp : playing	ut	
		COM	112 F	Radio 1		Ŧ	9600 8-1	N-1		Cor	nfigure		Whe	te the m en the D	nicroph DVK is	hone inp : not play	ut ving	0
QSO		- Transce	ivers															
		Radio 1			•	📃 Do	on't poll		Use CI-\	/ Trans	ceive		Pollin	ig rate (i	ms):	Auto	•	
		Radio 2			•	🕅 Do	on't poll		Use CI-\	/ Trans	ceive		Pollin	ig rate (i	ms):	Auto	•	
						(OK			Cance								
													15		0	0	0	0

Summary						? ×				Last b	and/mode
BAND	CW	SSB 1	ITU	НQ	POINTS	AVG					adio 2
160	0	0	0	0	0	0.00					
80	0	0	0	0	0	0.00				All b	ands - All
40	0	0	0	0	0	0.00				Time b	y mult:
20	0	0	0	0	0	0.00				1 QSO o	ounts:
15	0	0	0	0	0	0.00				1 mult o	ounts:
10	0	0	0	0	0	0.00				1 QSO	worth:
TOTAL	0	0	0	0	0	0.00			.	CW 30 WPM	
		FINAL	SCO	RE :	Copy as	; image			L L	CW JUWPM	
					C						
					Copy as	text					
					Broadca	asting on t	the network	•	✓	Enable	
					Include	dupes in	QSO counts			Send now!	
Mode Tim	e	Call	lsig	n	Dicelau	ad bande				Periodicity	
CW	R	A3DQ			Displaye	eu banus			ĸ		
					Font siz	e (10 Serif)	►			
					Title ba	r color		•			
					There but						
					Colors						
					Help						
						_					

- By right mouse click over "Summary" window fall down menu choose "Broadcasting on the network" -> Enable:

1. Click on the "Periodicity..." option and type a number of minutes wanted to upload real score data with:



- If everything OK a green bar will start movement from lev to right. Also the latest upload results will appear in the monitor window:

				-
contestonlinescore.	com settings	SUMMARY:	"STN1" "" 950 "ID" "4.24.0-DEMO" 130 "VA2WA" "FN36QA" "4" 4.2 T 5.0 7 "STN1" "" 950 "HEADERS" 1.3 2 7 9 14 15	· ·
Login VA2VVA	`	SUMMARY:	"STN1" "" 950 "ROW" 1 "160" 0 0 0 0 0 0 0.00	
Password		SUMMARY:	STN1 950 ROW 2 80 00000.00 "STN1" "" 950 "ROW" 3 "40" 0 0 0 0 0 0.00 "STN1" "" 950 "ROW" 4 "20" 2 0 2 0 8 4 00	
connection settings	for Win-Test	SUMMARY:	"STN1" "" 950 "ROW" 5 "15" 0 0 0 0 0 0 0.00	
Local IP 192.16	8.1.158	SUMMARY:	"STN1" "" 950 "ROW" 6 "10" 0 0 0 0 0 0 0.00 "STN1" "" 950 "ROW" 0 "TOTAL" 2 0 2 0 8 4 00	
	ddraea 🔽	SUMMARY:	"STN1" "" 950 "SCORE" 1499437669 1 16	
Use Any Local IF A		Score Rep	oorted Sent Successfully, Result = OK-Full	
Port 9871				
contest settings				-
Band	ALL 👻	Operators	VA2WA	
station settings				
Country	VE			
CQ Zone	5	Club	Contest Group du Quebec	
ITU Zone	4			
State / Province	QC			
	00			

- If it's not please check up all the three Win-test settings responsible for broadcasting and network interfaces as that describe above. Disable and enable again Ethernet network as described in p. 7

3. N1MM Logger+

- Launch the N1MM+ logger application
- Go to the Config -> Configure Ports, Mode Control, Audio, Other -> Score reporting tab



- Type the Online Score Board link to the Score Reporting Server field:

https://contestonlinescore.com/post/

*** Be careful and don't forget the last symbol - /. That wouldn't work without it!

- Type your callsign as Username and registered Password

Configurer
Hardware Function Keys Digital Modes Other Winkey Mode Control Antennas Score Reporting Broadcast Data Audio
Report Real-Time Score to Server
Score Reporting Server https://contestonlinescore.com/post/
VA2WA Score Reporting Password Update Interval (mins)
OK Cancel Help

- Checkup "Report Real time Score Server" and Exclude band breakdown
- Choose "Upload interval" as you wish
- Click on "OK"

4. WriteLog

- Launch the WriteLog logger application
- Go to the "Contest -> Broadcast" score menu option

🥌 Ur	ntitled.wl -	WriteLog						_	
File	Edit	View Entry	Radio	Bands	Setup	Tool	Con	test Windows Help	
		🐨 🌏 🖊	· 💼	.	: 🐥 🔜			Show Multipliers	0
Band	Summary							Recalculate Score	Γ
Score	e: 1,144 QSI	D PTS Z	N HQ	1			1	Parameter Setup	
80M	CW 1	8 78 1	1 ()				Exchange Format Setup	
	SEQ	DATE	TIME	FREQ	CALL		~	Set for Automatic Rescoring	٨
	2	2017-06-12	1921 1922	3500 3500	DF5WW			Create Summary Sheet	2
Ó	4		1931	3500	RA3DQ			Create Reports	4
\sim	5		1944	3500 3500	I1FAK YO8HP				+
0	7		2023	3500	BY4MA			Broadcast score	5
	8	2047.06.42	2155	3500	ZL4IO		Ŷ	Cabrillo file	ē,
ŏ	9 10	2017-06-13	2007	3500 7200	RA3DQ			Contest command	í
•	11		2118	7200	IW4FTY			33 33 20 3	
	12	2017-06-15	0226	3500	TI5M			599 599 11 3	8

- Type the Online Score Board link to the Network Address field:

https://contestonlinescore.com/post/

*** Be careful and don't forget the last symbol - /. That wouldn't work without it!

- Type your registered password
- Change "Upload time" to 2, 5 or other time
- Checkup "Post qso&mult breakdown also" checkbox
- Fill up the Contest form fields as shown on the picture:

Log submission details	
Call used:	VA2WA Location
Operator	SINGLE-OP Overlay ROOKIE Station FIXED
Power	HIGH • Xmtr ONE • Mode MIXED • Band ALL •
Assisted	ASSISTED Time 24-HOURS T
Club	
Calls of all operators	VA2WA
State/Province	QC Country CANADA
Create Cabrillo File A	ddress for Cabrillo Soapbox for Cabrillo cqcontest.net Upload
Network Address	UDP Port
https://contestonlinesco	re.com/post/
Password	
XXXXXXXXX	
Active Contests:	vupload Post Score eve y: 2 ▼ min Start vot gso&mult breakdown also
	OK Cancel Help

- Click "OK"

5. DXlog.net

- Launch the DXlog logger application
- Go to the "Command -> Live score->Setup->Post address" menu option:

室 DXLog.net														
File Edit	Operating	Commands Message	Tools	Options	Windows	H	lelp							
📉 🖬 🗙	4	QSY				۲		0	S 🗾 (0				
05:32:23	WC2A	Change mode				×			C					
Bate	TOLI	Keyboard mode			Alt+K				Summary		0	n /m	DUD	DOTIME
Nale All b	onde All	CW speed			Alt+V				DANI 1 C	v ys n	7	P/1 2	DUP	POINTS
Last h	anus - Att our:	Carrier			Ctrl +T				10	0	2	2	0	20
10 last	050:	Pass frequency for	urrent bar	ıd					о А	0	4	4	0	20
Since 05	usu: 00z:	Pass frequency for	any band		Alt+P				21	0	0	0	0	0
Time	ON:	Take a sked			Δlt+F				1	5	0	0	0	0
Run	011. 050:	Pass a station			Alt+D				1	0	0	0	0	0
S&P	QS0:				AILTD					6	0	0	0	0
Hour RUN Hour S&P	QSO: 0SO:	Turn Antenna to Lo	gged Call ((Short Path)	Ctrl+F12					2	0	0	0	0
411 ba	ands - 411	Turn Antenna to Lo	gged Call (Long Path)	Alt+F12				TOTA	г	9	4	0	66
Time by m	ult: 0	DX Cluster				•	-				FI	NAL SC	ORE: 2	64
1 qso cou 1 mult cou	nts: nts:	Spot			Alt+F3									
1 mult wo	rth:	CW/Digi messages				F								
228														
		Operator login												
		Station type				×								
		Remote command:												
		Live score			_	•		Setup)	•		Band o	ategory	•
		Antenna selection				•	~	Enabl	le auto pos	ting		Refres	h period	•
						_		Post	now:			Post a	ddress	
								Use L	JDP broadc	ast	~	Send o	iso/mult b	reakdown

- Check up the "Use https" checkbox
- Fill up the Post address form by typing your password and https:

https://contestonlinescore.com/post/

*** Be careful and don't forget the last symbol - /. That wouldn't work without it!

Live score settir	ig			
http address:	http://contestonlinesc]	
https address:	https://contestonlines	core.com/post/		🔽 Use https
Password:	•••••			
	(OK	Cancel	

- Be sure you have checked up "Enable auto posting" from the "Commands->Live score" menu

6. TR4W

- Launch the TR4W logger application
- By clicking combination "CTR-J" get the TR4W settings popup window
- Enter <u>http://post.contestonlinescore.com</u> as SCORE POSTING URL
- Enter <u>https://contestonlinescoreboard.com/scoreboard/</u> as SCORE READING URL
- Open Window -> "Post score" pop up window. Click "Post now" to upload your score to the server:

TR4W v.4.60).0 - 2017	CWOPS	VA2WA	A Contraction														83
File Settings	Windo	ows Alt	- Ctrl-	Com	mands	Tools	Net	Help										
05:26:34	160	80	40	20	15	10	All		16 P	ts								
QSOs	4						4	-										
Prefixes							4	- '										
								-				Both	:					
								-										
(
Band	Date	UTC		QsS	Callsig	gn		Рх	Name	Q	TH	Pts	М	ld	\$	D	Freq	Ot
Configuration o	:omman	ds																×
Command				Value						#	Fil 🔺				Defa	ault		
SAY HI ENABLI	E			FALSE						244								
SAY HI RATE C	UTOFF			200						245		ľ	ittp://o	cqcoi	itest.	ru/pos	tscore.j	sp
SCORE POSTI	NG URL			http://post.contestonlinescore.com/											Descr	iption:		
SCORE READI	NG URL			https://contestonlinescore.com/scoreboard/						247								_
SCP COUNTRY	STRING	ì								248								^
SCP MINIMUM	LETTER	S		0						249								
SEND COMPLE	TE FOU	R LETTE	R CA	FALSE						250								
SERIAL PORT	DEBUG			FALSE						251								
SERVER ADDR	ESS			LOCA	LHOST	_				252								
SERVER PASS	WORD			TR4W	SERVER	k				253								
SERVER PORT				1061						254								
SHIFT KEY ENA	ABLE			TRUE						255								
SHORT 0				0						200								
SHORT 1				1						250								
SHORT 2				2						200								
	DC.									259	CI							
SHOW DOMES			NAME	FALSE						261	CI.							
SHOW EREQU		LOG		TRUE						262								
SHOW TYPED	CALLSI	GN		TRUE						263	-							
SINGLE BAND	SCORE			All						264	CI							
SINGLE RADIO MODE				FALSE						265								
SKIP ACTIVE BAND				FALSE					266									
SLASH MARK	CHAR			1						267								
COACE DAD DI				TDIIC						260								-
•							1				•							
		Arrow.	/pageup/	/pagedn	keys or 1	st letter l	o select it	em.										
Modify		Save (A	(t- <u>W</u>)	Sa	ve all (Al	:- <u>G</u>)	To <u>n</u>	etwork		E <u>x</u> it								
												_						

7. UCXlog (from v. 7.76)

- Launch the UCXlog application:
- Contest -> Work -> Score Upload option.
- Please fill up the form and checkup the marked by red options:
- B: Contest Online Score Board
- HTTPS

Score Upload
Upload to A: CQ Contest Server B: Contest Online Score Board Upload now !
after every logging 🔹 1 🌩 min
Content Band QSOs + Points + Multipliers Last server responses: A: 08:44:44 : OK-Full B: 08:44:44 : OK-Full
Contest DL-DX-RTTY
Category - Operator SINGLE-OP
Transmitter ONE
Band ALL 💌
Mode RTTY 💌
Power HIGH
Assisted NON-ASSISTED
Login DL7UCX I HTTPS
Password Hide window

8. QARtest

- Please follow to instructions given on the page : http://www.ik3qar.it/software/qartest_ita/

9. N3FJP

- From the contest program's menu options click Settings > Web Contest Upload Status > Other Online Score Sites.
- Enter your user info and checkup "Enable" checkbox for the upload.

/eb Contest Status	s Uploader - Other Real Tim	ie Online Scor <mark>e</mark> board Site	es					
Watching e contest, plo below to qu Click Test t Total score	everyone's score ease create free uickly visit the site to test your settin e, total QSOs and	in real time is a accounts for bo es. gs. Results of t total multipliers	blast! Whether th sites and the the test upload will automatica	r you have seri n enable both will appear in t Ily upload at 3	ious competition i CQContest.Net a his textbox. OK-F minute intervals.	n mind or you a nd ContestOnl full is the desire A band by ban	are just playing ca ineScore.com! (ed response fror d breakdown is r	asually in the Click Visit n both sites. not included.
CqContest.	net		ContestOnli	neScore.com		Other		
User Name	N3FJP		User Name	N3FJP		User Name	N3FJP	
assword	****	**** Display http://cqcontest.net/postscore.jsj		**** Display		Password		Display
JRL	http://cqcontest.ne			https://contesto	nlinescore.com/r	URL		
Enabled	Test Visit		⊠ Enabled	Test Visit		Enabled	Test	
ontest Q-WW-SSB) V	Callsign I3FJP	Conte Operator SINGLE-O	est Upload F	Parameters Transmitter ONE ~	Power HIGH ∽	Assisted ASSISTED	Sec MDC
and the stand	Mode (SSB ∽ N	Category Overlay I/A	Club Name ∨ Northeast	e Maryland Amateu Done	r Radio Contest Soci	ety		

10. Assistance

If you still have questions or need an **assistance** with your logger setup please don't hesitate to drop a message to our email address:

admin@contestonlinescore.com

If you have any **feedback or suggestions** please don't hesitate to send them to us by using our email address:

admin@contestonlinescore.com

11.Donations

We are renting our servers for the Contest Online Score Board project. We are constantly spending our time for providing technical support, working on new features and keeping track on new contests to be active on the Board. If you like our service and you wish to support us you could send a **donation** by PayPal to the email address:

admin@contestonlinescore.com

12. Testimonials:

We all love HAM Radio and contesting as an essential of our hobby. Great thanks to everyone who helped us to have this project up and running:

Gerry, W1VE, Randy, K5ZD,

Yuri, VE3DZ

Tom, N1MM

Wayne, W5XD

Lourent, F6FVY

Martin, OK1RR

Chris 9A5K

Paolo, IK3QAR,

Ben, DL7UCX

Scott, N3FJP

And many others who kindly helped us with feedback, suggestions and donations:

Claude, VE2FK

Mats, RM2D/SM6LRR

Ken, K6MR

Rudy, N2WQ

We are open to any suggestions and ideas since we are HAM Radio community project driving by community and for the community!